

SAFETY INSPECTION CHECKLIST FOR MARINE EQUIPMENT		Date of Inspection		
Contractor or Unit		Contract No. or Activity		
Name of Vessel (Identification)		Name of Operator (Captain)		
Inspected by (Signature)		Witness (Signature)		
POWER AND UTILITY BARGES				
NOTE: Safety and Health Requirements Manual (EM 385-1-1) references are shown in parentheses.		Yes	No	N/A
1. When noise exposure exceeds 85 dBa continuous or 140 dB impulse (regardless of duration) is hearing protection provided and worn? (05.C.01)				
2. When hearing protection is needed, have other controls such as engineering or administration been utilized? (05.C.02)				
3. Is the sound level in the generator engine room of an acceptable value? (05.C.02)				
4. Do life rings and ring buoys conform to the requirements of 46 CFR 160.050 and down water lights conform to 46 CFR 161.001? (05.I.03) (05.I.04)				
5. Have provisions been made to prevent accumulation of fuel oil and grease on floors, decks, and in bilges? (09.A.07.c)				
6. Are gasoline, oils and grease handled and stored properly? (All of Section 09.B)				
7. Is sufficient fire protection, of the proper type, suitably marked and placed, available? (09.E.03)				
8. Are warning signs posted and are entrances to transformer banks kept locked? (11.A.02)				
9. Have transformer banks, live wiring and electric equipment been screened from contact by effective guards? (11.A.02)				
10. Is the control panel or switchboard area provided with insulated floor mats? (11.A.07)				
11. Where electric apparatus is used, can switches and circuit breakers be locked into "off" position for making repairs and servicing? (Section 12)				
12. Are hand-powered winches equipped with hand wheels without spokes, knobs, etc? (13.A.08)				
13. Are cranks on hand-powered winches or hoists provided with positive self-locking dogs? (13.A.08)				
14. Have hot surfaces, exhaust pipes, moving parts, if present, been adequately guarded? (16.B.03)				
15. Are stumbling hazards, deck projections painted yellow or with yellow trim? (19.A)				
16. When gasoline engines are used, are carburetors fitted with flame arrestors or backfire traps? (19.A.06.f)				
a. Carburetors (except down draft) shall have a drip pan with flame screen which discharges overboard or is emptied by intake manifold suction? (19.A.06.f)				
17. Are guard rails, or taut cable guardlines provided where persons may be subjected to falling or slipping? (19.A.07.h)				
18. Are access and passageways kept clear, free of dirt, oil, grease, debris? (19.B.01.a)				
19. Are non-slip surfaces provided for walks, work areas, etc., where needed? (19.B.01.b)				
20. Remarks:				

